


SGS India Private Limited,
Nitco Biz Park, 5th floor,
Road no. 16, Wagle Industrial Estate,
Thane 400 604, Maharashtra.
Phone # (91 22) 6187 0100 / 0300
Fax # (91 22) 6187 0347



REPORT OF INSPECTION

REF :IN/MUM/IND/20120796/01

DATE : 17th May 2013

PAGE: 1 of 2

At the request of M/s. Chandra Engineering & Mechanical Pvt. Ltd, Mumbai, we had attended their works for the prototype inspection of excess flow valve and our reports are as under.

Manufacturer

: M/s Chandra Engineering & Mechanical Pvt. Ltd
103, Devji Keshavji Industrial Estate, W.T. Patil Marg,
Chembur, Mumbai 400071

Description & Quantity Of Good

: Internal excess flow check valve

Size 2" – 03 Nos

Size 1½" – 03 Nos

: 1. EN 13175:2003

2. EN12516-2

3. EN 1267 :1999

4. SMPV (U) Rules 1981

5. Design Calculation

6. G.A. Drawing no. CEMPL /0190 Rev. 02 Approved by SGS India

7. QAP No. CEMPL/IMV/0190/12-13 Rev - 0 Dated 06.09.2012

8. Scheme of Manufacturing

9. CCOE Letter No. PV(M) 14/I Dated 03.12.2012

10. Manufacturers Letter reference no

CEMPL/IEFV/0190/12-13 dated 06.11.2012

11. As built drawing no CMPL/0190 Rev. 4

Place & Date Of Inspection

: At manufacturers works on 16.01.2013, 15.02.2013, 26.04.2013, 09.05.2013 to 13.05.2013, 15.05.2013 to 17.05.2013

Sampling Plan

: 100% for visual, dimensional check and excess flow test & 1 No. of each size for all other tests as per QAP & standards.

Scope Of Inspection

: Stage wise, final inspection and witness testing as per approved QAP, Drawing & Standards

Identification Mark

: Model No. SCR / 50

Model No. SCR / 40

Valve Sr. no. IV 1001 to

Valve Sr. no. IV 1004 to

IV1003

IV1006

Size - 2"

Size - 1½"

Service- LPG

Service- LPG

Operating / Closing Flow rate

Operating / Closing Flow rate

60 GPM / 75GPM

40 GPM / 50GPM

MOC – A350 LF2 CI-1

MFG's Stamp

Direction of flow arrow Mark

Opening & Closing Direction

SGS Stamp as

SGS

MU 23



SGS

This document is issued, on the Client's behalf, by the Company under its General Conditions of Service printed overleaf.
The Client's attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SGSPAPER
12983690

